



ZERO-TURN RIDER STEP-UP FEATURES AND BENEFITS

FEATURES AND BENEFITS: Z-FORCE Commercial TO TANK

	<u>Commercial Z-Force</u>	<u>TANK</u>	<u>Benefit</u>
<u>DRIVE SYSTEM</u>			
Drive System	Dual Hydro-Gear™ charged ZT-2800 w/oil reservoir	Kanzaki DUP-10 pumps & White® (48") or Parker® (60") wheel motors	The pump and wheel motor design offers commercial performance and handling along with the durability and extended life that a commercial landscaper demands.
Forward Speed	8 mph ground speed	10 mph ground speed	Provides ability to cut faster where the terrain and grass allow, and transports your mower from cutting locations more quickly.
<u>STEERING</u>			
Front Axle	Pivoting, steel	Pivoting/fixed with lockout pins	Keeps all 4 wheels on the ground for a cleaner, professional cut, while absorbing the changes in the terrain. Can be locked into a fixed position, providing greater stability on hillsides and slopes.
<u>CHASSIS</u>			
Frame	Fully welded steel 1.5" x 2" tubular steel	Fully welded steel 2" square tubing	A larger 2" x 2" fully welded frame adds to the longevity of the unit and the durability to handle rough terrain. The larger frame can absorb the stress that a commercial landscaper puts on a unit.
<u>ROPS</u>			
ROPS	No ROPS	Foldable ROPS	Flexibility for storage and maneuvering under low obstacles.
<u>OPERATION</u>			
PTO Clutch	Ogura GT 1.0	Ogura GT 2.0	A larger clutch is used for extended cutting periods and heavier loads on the PTO drive belt.
Rear Bumper	Low-profile bumper guard	Heavy-duty wrap-around bumper	Protects the engine compartment and frame of the mower from possible damage if hitting an object.
<u>TIRES</u>			
Rear Tires	20" x 8" – 10" or 20" x 10– 10" (turf)	23" x 9.5" – 12"	Larger rear tires ride smoother on the lawn and help absorb rough terrain; also helps with additional traction.
<u>MOWER DECK</u>			
Deck Cutting Height	1.0" – 4.0" (in .25" increments)	1.0" – 5.0" (in .25" increments)	Ability to cut grass at an additional 1" higher without sacrificing quality of cut.
Mowing Deck Style	Command Cut System™	Sloped-nose	Sloped-nose design forces grass blades to rebound into the cutting edge for a cleaner, more even cut.

FEATURES AND BENEFITS: TANK TO TANK M

	<u>TANK</u>	<u>TANK M</u>	<u>Benefit</u>
<u>DRIVE SYSTEM</u>			
Drive System	Kanzaki DUP-10 pumps & White® (48") or Parker® (60") wheel motors	Dual Hydro-Gear™ PK-12 pumps & Parker® wheel motors	A larger-capacity pump and wheel motor gives the commercial user longevity and durability over years of mowing and the capability for higher ground speeds.
Seat Type	Low-profile suspension seat with arm rests	Adjustable/foldable high-back suspension seat w/arm rests	The premium high-back suspension seat fits any operator and gives the operator a full day of comfort when mowing over the roughest terrain.
Forward Speed	9.5 mph ground speed	12 mph ground speed	The capability to increase productivity from higher speed options and transport speeds that are faster than most of the competition.
<u>OPERATION</u>			
PTO Clutch	Ogura GT 2.0	Ogura GT 2.5 (48", 54", 60") Ogura GT 3.5 (72")	A larger clutch is used for extended cutting periods and heavier stress loads put on the PTO when cutting thick/heavy grass.
<u>TIRES</u>			
Front Tires	13" x 5" – 6" (smooth)	13" x 6.5" – 6" (smooth)	A larger front tire pivots more easily when zero-turning and makes the ride on the mower smoother in rough terrain.
Rear Tires	23" x 9.5" – 12"	24" x 12" – 12"	The larger rear tire rides smoother on lawns and helps absorb rough terrain and combined with the wide-track design also helps with additional traction.
<u>MOWER DECK</u>			
Mowing Deck Style	Sloped-nose	Select Cut System™	The Select Cut System™ gives the operator the capability to adjust the deck to match the different types of grass and terrain in the many varied regions throughout the U.S., while giving the operator the BEST COMMERCIAL CUT with a quick adjustment of the leading edge or inner baffling.

FEATURES AND BENEFITS: TANK M TO TANK S

	<u>TANK M</u>	<u>TANK S</u>	<u>Benefit</u>
<u>DRIVE SYSTEM</u>			
Controls	3-way adjustable lap bars	Individual forward, reverse and park brake foot pedals	Foot pedal speed control is easy to learn and offers effortless days of mowing.
Control Design	Adjustable lap bars	2 turns/multi-position steering wheel and column	Steering wheel design makes this top-of-the-line commercial zero-turn mower easy to control, adjust and operate. The precise handling makes the finish of the lawn look perfect on hillside mowing or when maneuvering around tight spaces.
Seat Type	Adjustable/foldable high-back suspension seat w/arm rests	Fully adjustable suspension, lumbar support, arm rests and reclining back with 8.25" of travel	A suspension seat that meets comfort needs even in the roughest conditions. It is the commercial cutter's step-up option from our premium suspension seat.
Hydraulic Cooling	3 qt. capacity with filter, Rimula – 15W40	4.5 qt. capacity, Rimula – 15W40 and remote cooling system	The remote oil cooler maintains a cooler oil temperature for extended life to the hydraulic system.
<u>STEERING</u>			
Front Axle	Pivoting/fixed	Pivoting/welded steel with power steering	Power steering to the front wheels makes it possible to steer the zero-turn mower while on a hillside, which helps when turfing the lawn is an issue.
<u>TIRES</u>			
Front Tires	13" x 6.5" – 6" (smooth)	16" x 6.5" – 8" (turf tread)	A larger front tire steers more easily when zero-turning and makes the ride on the mower smoother in rough terrain.
<u>MOWER DECK</u>			
Deck Height Adjustment	Foot pedal – spring assisted	Dash valve lever and hydraulic lift cylinder	Power assist deck lift gives the operator the function to raise and lower the deck with the touch of a lever; when mounted on the deck, the power assist blower makes grass collection effortless.