



STEP-UP FEATURES AND BENEFITS

THE ENFORCER TO THE RECON

	THE ENFORCER	THE RECON	BENEFIT
<u>DRIVE SYSTEM</u>			
Drive System	Dual Hydro-Gear™ charged ZT-2800™ w/oil reservoir	Kanzaki DUP-10 pumps & White® wheel motors	The pump and wheel motor design offers commercial performance and handling along with the durability and extended life that a commercial landscaper demands.
Forward Speed	8 mph ground speed	10 mph ground speed	Provides ability to cut faster where the terrain and grass allow, and transports your mower from cutting locations more quickly.
<u>STEERING</u>			
Front Axle	Pivoting, steel	Pivoting/fixed with lockout pins	Keeps all 4 wheels on the ground for a cleaner, professional cut, while absorbing the changes in the terrain. Can be locked into a fixed position, providing greater stability on hillsides and slopes.
<u>CHASSIS</u>			
Frame	Fully welded steel 1.5" x 2" tubular section	Fully welded steel 2" square tubing	A larger 2" x 2" fully welded frame adds to the longevity of the unit and the durability to handle rough terrain. The larger frame can absorb the stress that a commercial landscaper puts on a unit.
<u>OPERATION</u>			
PTO Clutch	Ogura GT 1.0	Ogura GT 2.0	A larger clutch is used for extended cutting periods and heavier loads on the PTO drive belt.
<u>TIRES</u>			
Rear Tires	20" x 8" – 10" or 20" x 10" – 10" (turf)	23" x 9.5" – 12"	Larger rear tires ride smoother on the lawn and help absorb rough terrain; also helps with additional traction.
<u>MOWER DECK</u>			
Deck Cutting Height	1.0" – 4.0" (in .25" increments)	1.0" – 5.0" (in .25" increments)	Ability to cut grass at an additional 1" higher without sacrificing quality of cut.



STEP-UP FEATURES AND BENEFITS

THE RECON TO THE TANK

	THE RECON	THE TANK	BENEFIT
<u>DRIVE SYSTEM</u>			
Drive System	Kanzaki DUP-10 pumps & White® wheel motors	Dual Hydro-Gear™ BDP-12 pumps & White® wheel motors	A larger-capacity pump and wheel motor gives the commercial user longevity and durability over years of mowing and the capability for higher ground speeds.
Seat Type	Low profile suspension seat with arm rests	Adjustable/foldable high-back suspension seat with arm rests	The premium high-back suspension seat fits any operator and gives the operator a full day of comfort when mowing over the roughest terrain.
Forward Speed	10 mph ground speed	12 mph ground speed	The capability to increase productivity from higher speed options and transport speeds that are faster than the most of the competition's.
<u>OPERATION</u>			
PTO Clutch	Ogura GT 2.0	Ogura GT 2.5 (48", 54" & 60" TANKs), Ogura GT 3.5 (72" TANKs)	A larger clutch is used for extended cutting periods and heavier stress loads put on the PTO when cutting thick/heavy grass.
Rear Bumper	Low-profile bumper guard	Heavy-duty wrap-around bumper	Protects the engine compartment and frame of the mower from possible damage if hitting an object.
<u>TIRES</u>			
Front Tires	13" x 5" – 6" (smooth)	13" x 6.5" – 6" (smooth)	A larger front tire pivots more easily when zero-turning and makes the ride on the mower smoother in rough terrain.
Rear Tires	23" x 9.5" – 12"	24" x 12" – 12"	The larger rear tire rides smoother on lawns and helps absorb rough terrain and also helps with additional traction combined with the wide-track design.
<u>MOWER DECK</u>			
Mowing Deck Style	Command Cut System™	Select Cut System™	The new Select Cut System™ gives the operator the capability to adjust the deck to match the different types of grass and terrain in the many varied regions throughout the U.S., while giving the operator the BEST COMMERCIAL CUT with a quick adjustment of the leading edge or inner baffling.



STEP-UP FEATURES AND BENEFITS

THE TANK TO THE TANK S

	THE TANK	THE TANK S	BENEFIT
<u>DRIVE SYSTEM</u>			
Controls	3-way adjustable lap bars	Individual forward, reverse & park brake foot pedals	Foot pedal speed control is easy to learn and offers effortless days of mowing.
Control Design	Adjustable lap bars	2 turns/multi-position steering wheel & column	Steering wheel design makes this top-of-the-line commercial zero-turn mower easy to control, adjust and operate. The precise handling makes the finish of the lawn look perfect on hillside mowing or when maneuvering around tight spaces.
Seat Type	Adjustable/foldable high-back suspension seat with arm rests	Fully adjustable suspension, lumbar support, arm rests and reclining back w/8.25" of travel	A suspension seat that meets comfort needs even in the roughest conditions. It is the commercial cutter's step-up option from our premium suspension seat.
Hydraulic Cooling	3 qt. capacity w/filter, Rimula - 15W40	4.5 qt. capacity, Rimula - 15W40 and remote cooling system	The remote oil cooler maintains a cooler oil temperature for extended life to the hydraulic system.
<u>STEERING</u>			
Front Axle	Pivoting / fixed	Pivoting/welded steel w/power steering	Power steering to the front wheels makes it possible to steer the zero-turn mower while on a hillside, which helps when turfing of the lawn is an issue.
<u>TIRES</u>			
Front Tires	13" x 6.5" - 6" (smooth)	16" x 6.5" - 8" (turf tread)	A larger front tire steers more easily when zero-turning and makes the ride on the mower smoother over rough terrain.
<u>MOWER DECK</u>			
Deck Height Adjustment	Foot pedal - spring assisted	Dash valve lever and hydraulic lift cylinder	Power assist deck lift gives the operator the function to raise and lower the deck with the touch of a lever; when mounted on the deck, the power assist blower makes grass collection effortless.